

DAFTAR PUSTAKA

1. Narendhirakannan RT, Hannah MAC. Oxidative Stress and Skin Cancer: An Overview. *Indian Journal of Clinical Biochemistry*. 2013;28(2):110–115
2. John D’Orazio, Stuart Jarrett, Alexandra Amaro-Ortiz, Timothy Scott. UV Radiation and the Skin. *International Journal of Molecular Sciences*. 2013 Jun; 14(6): 12222–12248.
3. Valavanidis A, Vlachogianni T, Fiotakis C. 8-Hydroxy-20-deoxyguanosine (8-OHdG): a critical biomarker of oxidative stress and carcinogenesis. *Journal of Environmental Science and Health C Environmental Carcinogenesis & Ecotoxicology Reviews*. 2009;27:120–39.
4. Matsumoto Y, Ogawa Y, Yoshida R, Shimamori A, Kasai H, Ohta H. The stability of the oxidative stress marker, urinary 8-hydroxy-20- deoxyguanosine (8-OHdG), when stored at room temperature. *Journal of Occupational Health* 2008;50:366–72.
5. Solomon KR. Effects of ozone depletion and UV-B radiation on humans and the environment. *Atmosphere-Ocean* 2008; 46(1): 185-202.
6. WHO. Global Solar UV Index, A Practical Guide. World Health Organization, 2007; 1-18. Available at: <http://www.who.int/uv/publications/en/UVIGuide.pdf>. Accessed: 7 September 2017
7. U.S. Cancer Statistics Working Group. United States Cancer Statistics: 1999–2014 Incidence and Mortality Web-based Report. Atlanta (GA): Department of Health and Human Services, Centers for Disease Control and Prevention, and National Cancer Institute; 2017. Available at: <http://www.cdc.gov/uscs>. Accessed: 10 September 2017
8. Azamris. Kanker Kulit di Bangsal Bedah RS Dr. M. Djamil Padang Januari 2002 - Maret 2007. *Cermin dunia kedokteran* 183, 2011; 38(2): 109-110
9. J. Giese-Davis, A. Waller, L.E. Carlson, S. Groff, L. Zhong, E. Neri, et al. Screening for distress, the 6th vital sign: common problems in cancer outpatients over one year in usual care: associations with marital status, sex, and age. *BMC Cancer*, 2012;12:441
10. Retno M, Yohanes WW, Sunardi R. Hubungan Antara Pigmentasi Cepat dengan Kemampuan Pemulihan DNA Oksidatif; Kajian Pada Pelajar SD yang

- Berolahraga di Bawah Terik Matahari. Berkala Ilmu Kedokteran, 2005; 37(1): 74-79
11. Kato M, Iida M, Goto Y, Kondo T, & Yajima I. Sunlight exposure-mediated DNA damage in young adults. *Cancer Epidemiology Biomarkers and Prevention*, 2011; 20(8):1622–1628.
 12. Holman D. Patterns of Sunscreen Use on the Face and Other Exposed Skin among US Adults. *Journal of the American Academy of Dermatology*. 2015 July ; 73(1): 83–92
 13. Linos, E.; Swetter, S.M.; Cockburn, M.G.; Colditz, G.A.; Clarke, C.A. Increasing burden of melanoma in the United States. *The Journal of Investigative Dermatology*. 2009; 129, 1666–1674
 14. International Agency for Research of Cancer. IARC Working Group Reports - Exposure of Artificial UV radiation and Skin Cancer. Lyon. Franc: IARC. 2006
 15. Fioletov V, Kerr JB, Fergusson A. The UV index: definition, distribution and factors affecting it. *Canadian Journal of Public Health*. 2010;1(4):I5-9.
 16. Bielinski K, Bielinski N. UV radiation transmittance: regular clothing versus sun-protective clothing. *Cutis*. 2014;94(3):135-8.
 17. Ruban, Alexander V. Evolution under the sun: optimizing light harvesting in photosynthesis. *Journal of Experimental Botany*, 2015; 66(1):7–23
 18. Holick, Michael F. Biological Effects of Sunlight, Ultraviolet Radiation, Visible Light, Infrared Radiation and Vitamin D for Health. *Anticancer research*. 2016; 36: 1345-1356
 19. WHO. Guidelines on Hand Hygiene in Health Care: First Global Patient Safety Challenge Clean Care Is Safer Care. Geneva: World Health Organization; 2009. Available at: <http://www.who.int/gpsc/5may/tools/9789241597906/en/>. Accessed: 20 September 2017
 20. Proksch E, Brandner JM, Jensen J. The skin: an indispensable barrier. *Experimental Dermatology*, 17 (12): 1063-1072, 2008.
 21. T Igarashi, K Nishino, SK Nayar. The Appearance of Human Skin. The appearance of human skin. Tech. rep., Columbia University. 2005
 22. M Brenner, VJ Hearing. The Protective Role of Melanin Against UV Damage in Human Skin. *Photochemistry and Photobiology*, 2008, 84: 539–549
 23. Sorrell JM, Baber MA, Caplan AI (2004) Site-matched papillary and reticular human dermal fibroblasts differ in their release of specific growth

- factors/cytokines and in their interaction with keratinocytes. *Journal of Cellular Physiology* 200;134–145
24. G Zonios, A Dimou. Optical Properties of Human Melanocytic Nevi in vivo. *Skin. Photochemistry and Photobiology*, 2009, 85: 296-303
 25. A. Pérez-Ferriols. The Minimal Erythema Dose (MED) Project: In Search of Consensus on Phototesting. *Actas Dermo-Sifiliográficas*. 2013;104(7) :541-2
 26. RM Lucas; MH Repacholi; AJ McMichael. Is the current public health message on UV exposure correct?. *Bulletin of the World Health Organization*. 2006;84(6): 485-491
 27. NG Jablonski, G Chaplin. Human skin pigmentation as an adaptation to UV radiation. *Proceedings of the National Academy of Sciences of the United States of America*. 2010. vol. 107(2) 8962–8968
 28. A kricker, BK Armstrong, C Gousmas et al. Ambient UV, personal sun exposure and risk of multiple primary melanomas. *Cancer Causes Control*. 2007 ; 18(3): 295–304
 29. Chang, Y. et al. Sun exposure and melanoma risk at different latitudes: a pooled analysis of 5700 cases and 7216 controls. *International Journal of Epidemiology*, 2009; 38(3):814-830
 30. AS Pokrzywniak et al. Positive Interaction Between Light Iris Color and Ultraviolet Radiation in Relation to the Risk of Uveal Melanoma: A Case-Control Study. *Ophthalmology*. 2009; 116 (2):40-348
 31. CM Vajdic, A kricker, M Giblin et al. Artificial ultraviolet radiation and ocular melanoma in Australia. *International Journal of Cancer*. 2004; 112: 896-900
 32. A R Young. Acute effects of UVR on human eyes and skin. *Progress in Biophysics and Molecular Biology*. 2006; 92(1) 80-85
 33. Stamatas, G. N., B. Z. Zmudzka, N. Kollias and J. Z. Beer. Non-invasive measurements of skin pigmentation in situ. *Pigment Cell Research*. 2004. 17, 618–626.
 34. Fraga CG, Shigenaga MK, Park JW, et al. Oxidative damage to DNA during aging: 8-Hydroxy2'-deoxyguanosin in rat organ DNA and urine. *Proceedings of the National Academy of Sciences USA*. 1990; 87(12):4533-7
 35. Yamaguchi, Y., S. Itami, H. Watabe, K. Yasumoto, Z. A. Abdel- Malek, T. Kubo, F. Rouzaud, A. Tanemura, K. Yoshikawa and V. J. Hearing Mesenchymal–epithelial interactions in the skin: Increased expression of

- dickkopf1 by palmoplantar fibroblasts inhibits melanocyte growth and differentiation. *The Journal of Cell Biology*. 2004. 165, 275–285.
36. Ito, S. and K. Wakamatsu. Quantitative analysis of eumelanin and pheomelanin in humans, mice, and other animals: A comparative review. *Pigment Cell Research*. 2003. 16, 523–531
37. Kvam, E. and J. Dahle. Melanin synthesis may sensitize melanocytes to oxidative DNA damage by ultraviolet A radiation and protect melanocytes from direct DNA damage by ultraviolet B radiation. *Pigment Cell Research*. 2004. 17, 549–550.
38. Hill, H. Z. and G. J. Hill. UVA, pheomelanin and the carcinogenesis of melanoma. *Pigment Cell Res*. 2000. 13(Suppl. 8), 140–144.
39. Takeuchi, S., W. Zhang, K. Wakamatsu, S. Ito, V. J. Hearing, K. H. Kraemer and D. E. Brash. Melanin acts as a potent UVB photosensitizer to cause an atypical mode of cell death in murine skin. *Proceedings of the National Academy of Sciences of the United States of America*. 2004. 101, 15076–15081.
40. Yamaguchi, Y., K. Takahashi, B. Z. Zmudzka, A. Kornhauser, S. A. Miller, T. Tadokoro, W. Berens, J. Z. Beer and V. J. Hearing. Human skin responses to UV radiation: Pigment in the upper epidermis protects against DNA damage in the lower epidermis and facilitates apoptosis. *Federation of American Societies for Experimental Biology*. 2006. 20, 1486–1488.
41. T Yoshikawa, Y Naito. What Is Oxidative Stress? *Japan Medical Association* July 2002; 45(7): 271-276
42. Kasai, H.; Nishimura, S. Hydroxylation of deoxyguanosine at C-8 position by ascorbic acid and other reducing agents. *Nucleic Acids Research*. 12:2137–2145; 1984.
43. Ikehata H, Nakamura S, Asamura T, Ono T. Mutation spectrum in sunlight exposed mouse skin epidermis: small but appreciable contribution of oxidative stress-mediated mutagenesis, *Mutation Research*, 2004, vol. 556 (pg. 11-24)
44. Valko M, Leibfritz D, Moncol J, Cronin MTD, Mazur M dan Telser J. Free radicals and antioxidants in normal physiological functions and human cell. *The International Journal of Biochemistry and Cell Biology*, 30: 44-84. 2007
45. Harri M, Svoboda P, Mori T, Mutanen P, Kasai H, Savela K. Analysis of 8-hydroxydeoxyguanosine among workers exposed to diesel particulate exhaust:

- comparison with urinary metabolites and PAH air monitoring. *Free Radical Research* 2005;39:963–972
46. Lieberman HB. DNA damage repair and response proteins as targets for cancer therapy. *Current Medicinal Chemistry* 2008; 15:360-367
47. Afaq FV, Adhami M, Mukhtar H. Photochemoprevention of ultraviolet B signaling and photocarcinogenesis. *Mutation Research*. 2005;571:153–73.
48. Bowden GT. Prevention of non-melanoma skin cancer by targeting ultraviolet-B-light signalling. *Nature Reviews Cancer*. 2004;4: 23–35.
49. Svoboda P, Ko SH, Cho B, Yoo SH, Choi SW, Ye SK, Kasai H, Chung MH. Neopterin, a marker of immune response, and 8-hydroxy-2'-deoxyguanosine, a marker of oxidative stress, correlate at high age as determined by automated simultaneous high-performance liquid chromatography analysis of human urine. *Analytical Biochemistry* 2008; 383: 236-242
50. WHO. Biomarkers in Risk assessment: Validity and Validation. Geneva: WHO, 2001. Available at: <http://www.who.int/iris/handle/10665/42363>. Accessed: 11 November 2017
51. Ho, E., Karimi Galougahi, K., Liu, C.-C., Bhindi, R., & Figtree, G. A. Biological markers of oxidative stress: Applications to cardiovascular research and practice. *Redox Biology*, 1, 483–491. 2013
52. E Birben, UM Sahiner, C Sackesen, S Erzurum, O Kalayci. Oxidative Stress and Antioxidant Defense. *World Allergy Organization Journal* 2012; 5:9–19
53. Cadet J, Douki T, Gasparutto D, Ravanat JL. Oxidative damage to DNA: formation, measurement and biochemical features. *Mutation Research*. 2003;531:5–23.
54. Bickers DR, Athar M. Oxidative stress in the pathogenesis of skin disease. *J Journal of Investigative Dermatology*. 2006;126:2565–75.
55. JE Klaunig, LM Kamendulis, BA Hoocevar. Oxidative Stress and Oxidative Damage in Carcinogenesis. *Toxicologic Pathology*, 2010; 38: 96-109
56. Afaq F, Syed DN, Malik A, Hadi N, Sarfaraz S, Kweon MH, Khan N, Zaid MA, Mukhtar H. Delphinidin, an anthocyanidin in pigmented fruits and vegetables, protects human HaCaT keratinocytes and mouse skin against UVB-mediated oxidative stress and apoptosis. *Journal of Investigative Dermatology*. 2007;127:222–32.

57. Gruijl FR, Rebel H. Early events in UV carcinogenesis—DNA damage, target cells and mutant p53 foci. *Photochemistry and Photobiology*. 2008;84:382–7.
58. Melnikova VO, Pacifico A, Chimenti S, Peris K, Ananthaswamy HN. Fate of UVB-induced p53 mutations in SKH-hr1 mouse skin after discontinuation of irradiation: relationship to skin cancer development. *Oncogene*. 2005;24:7055–63.
59. Nichols JA, Katiyar SK. Skin photoprotection by natural polyphenols: anti-inflammatory, antioxidant and DNA repair mechanisms. *Archives of Dermatological Research*. 2010;302:71–83.
60. Schwarz T. 25 years of UV-induced immunosuppression mediated by T cells—from disregarded T suppressor cells to highly respected regulatory T cells. *Photochem Photobiol*. 2008;84:10–8.
61. Halliday GM, Rana S. Waveband and dose dependency of sunlight- induced immunomodulation and cellular changes. *Photochemistry and Photobiology*. 2008;84:35–46.
62. A Kumar, MC Pant, HS Singh, S Khandelwal. Assessment of the redox profile and oxidative DNA damage (8-OHdG) in squamous cell carcinoma of head and neck. *Journal of Cancer Research and Therapeutics* 2012; 8(2): 254-259
63. Lee, J.-Y., & Choi, J.-W. Estimation of Regional Body Surface Area Covered by Clothing. *Journal of the Human Environmental System*, 2009; 12(1):35–45
64. Lazovich D, Vogel R, Berwick M, Weinstock M, Warshaw E, Anderson K. Melanoma Risk in Relation to Use of Sunscreen or Other Sun Protection Methods. *Cancer Epidemiology Biomarkers & Prevention*. 2011;20(12):2583-2593.
65. Gordon LG, Scuffham PA, van der Pols JC, McBride P, Williams GM, Green AC. Regular sunscreen use is a cost-effective approach to skin cancer prevention in subtropical settings. *The Journal of Investigative Dermatology*. 2009 Dec; 129(12):2766-71.
66. Kementerian Kesehatan RI. (2014). Pedoman gizi seimbang. *Jakarta: Kementerian Kesehatan RI*, 44. Available at: <http://gizi.depkes.go.id/download/Pedoman%20Gizi/PGS%20Ok.pdf>. Accessed: 19 August 2017
67. Setyaningsih Y, Husodo AH, Astuti I. Detection of Urinary 8-hydroxydeoxyguanosine (8-OHdG) Levels as a Biomarker of Oxidative DNA

- Damage among Home Industry Workers Exposed to Chromium. *Procedia Environmental Sciences*. 2015; 23: 290 – 296
68. Lwanga S.K. Lemeshow S. *Sample Size Determination in Health Studies*. England: WHO; 1991. Available at: <http://apps.who.int/iris/handle/10665/40062>. Accessed: 10 December 2017
69. Amir, M.S. *Adat Minangkabau : Pola dan Tujuan Hidup Orang Minang*. Jakarta : PT. Mutiara Sumber Mulya; 2003
70. Wu, LL, Chiou, C.C., Chang, P.Y., Wu, J.T. Urinary 8-OHdG: A marker of oxidative stress to DNA and a risk factor for cancer, atherosclerosis and diabetes. *Clinica Chimica Acta* 2004. 339:1–9.
71. Menkes RI. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 43 Tahun 2013 tentang Cara Penyelenggaraan Laboratorium yang Baik*. Jakarta: Kemenkes RI; 2013. Available at: <https://djsn.go.id/storage/app/uploads/public/58d>. Accessed: 20 November 2017
72. Human 8-Hydroxydeoxyguanosine (8-OHdG) ELISA Kit. Elabscience. Catalog Number E-EL-0028. Available at: <https://www.elabscience.com/PDF/Cate61/E-EL-0028-Elabscience.pdf>. Accessed: 10 December 2017
73. Meeker JD, Hu H, Cantonwine DE, et al. Urinary phthalate metabolites in relation to preterm birth in Mexico city. *Environmental health perspectives*. 2009;117:1587–1592.
74. Soper D. Calculator: A-priori Sample Size for Multiple Regression [Internet]. Free A-priori Sample Size Calculator for Multiple Regression - Free Statistics Calculators. Daniel Soper. Available at: <https://www.danielsoper.com/statcalc/calculator.aspx?id=1>. Accessed: 28 December 2018.
75. Narukawa T, et al. Effect on Body Mass Index, dietary intake, and serum antioxidant vitamin concentration on urinary 8-OHdG and F2-isoprostane excretion. *Anti Aging Medicine*. 2011; 8 (1): 1-6.
76. Indraprasta S, Zulkarnain I, Ervinati E. Peningkatan Kadar 8-Hydroxydeoxyguanosine (8-OHdG) Urine pada Pasien Dermatitis Atopik Anak. *Periodical of Dermatology and Venereology*. 2016; 28 (3).
77. Thompson HJ, et al. Effect on increase vegetable and fruit consumption on markers of oxidative cellular damage. *Carcinogenesis*. 1999; 20(12): 2261-2266.

78. Thomson C, Giuliano A, Shaw J, Rock C, Ritenbaugh C, Hakim I et al. Diet and Biomarkers of Oxidative Damage in Women Previously Treated for Breast Cancer. *Nutrition and Cancer*. 2005;51(2):146-154.
79. Iida T, Inoue K, Ito Y, Ishikawa H, Kagiono M, Teradaira R et al. Comparison of urinary levels of 8-hydroxy-2'-deoxyguanosine between young females with and without depressive symptoms during different menstrual phases. *Acta Medica Okayama*. 2015;69(1):45-50
80. Liljendahl TS, Blomqvist A, Andersson EM, Barregard L, Segerbäck D. Urinary levels of thymine dimer as a biomarker of exposure to ultraviolet radiation in humans during outdoor activities in the summer. *Mutagenesis*. 2013 May;28(3):249-56
81. de Winter S, Vink A A, Roza L, Pavel S. Solar-simulated skin adaptation and its effect on subsequent UV-induced epidermal DNA damage. *Journal of Investigative Dermatology*. 2001; 117: 678–682.
82. Hayag MV, Chartier T, DeVoursney J, Tie C, Machler B, Taylor JR. A high SPF sunscreen's effects on UVB-induced immunosuppression of DNCB contact hypersensitivity. *Journal of Dermatological Science*. 1997;16:31-7.
83. Fourtanier A. Mexoryl SX protects against solar-simulated UVR-induced photocarcinogenesis in mice. *Photochemistry and Photobiology*. 1996;64:688-93.
84. Boonla C, Wunsuwan R, Tungsanga K, Tosukhowong P. Urinary 8-hydroxydeoxyguanosine is elevated in patients with nephrolithiasis. *Urological Research*. 2007;35(4):185-191.
85. Chiou C, Chang P, Chan E, Wu T, Tsao K, Wu J. Urinary 8-hydroxydeoxyguanosine and its analogs as DNA marker of oxidative stress: development of an ELISA and measurement in both bladder and prostate cancers. *Clinica Chimica Acta*. 2003;334(1-2):87-94.
86. Honda M, Yamada Y, Tomonaga M, Ichinose H, Kamihira S. Correlation of urinary 8-hydroxy-2'-deoxyguanosine (8-OHdG), a biomarker of oxidative DNA damage, and clinical features of hematological disorders: a pilot study. *Leukemia Research*. 2000;24(6):461-468.